




With Western the water savings are significant and maintenance is minimal.

*Our customers tell us it's
"The Best Flushing Toilet in America!"*

- Elongated bowl.
- Up to 20% water savings over conventional 1.6 gpf toilets.
- Sani-Glazed™ trapway gives years of sanitary, trouble free use.
- Powerful Vortex-Jet™ flushing system scrubs the bowl with every flush.
- Full size water surface and seal for a clean and sanitary bowl.
- Quick-Install™ tank to bowl fittings speed installation and helps reduce potential leaks.
- Front mount color-matched handle.
- Also available with 10" & 14" rough-in.
- Available in Western White and Cashmere.
- Seat not included.
- All Western products are IAPMO tested and meet or exceed  standards.
- Certified by IAPMO to meet or exceed the EPA WaterSense standards.



For more information please contact us toll-free:

877-WPWORKS (979-6757)

US Sales and Service

Phone 562.229.0910 • Fax 562.229.0930

www.westernpottery.com • Email: info@westernpottery.com

14405 Best Avenue • Norwalk, California 90650

B832 / T8ULF-HET

1.28 gpf

PHYSICAL PROPERTIES

Model: B832 / T8ULF-HET

Water Surface: 8.22" x 10.43"

Water Seal: 2.50"

Ball Passed: 2.00"

Ball Passed Diameter: 2.00"

Water Consumption: 1.28 gpf / 4.80 lpf

Shipping Weight: 46.7 lbs bowl
28.4 lbs tank

Shipping Cube: 4.39 ft bowl
1.47 ft tank


Minimum Rough-in: 11"

Fill Valve: A1251061

Flush Valve: A2103

Tank Lever: A5103

Flapper No: RA21020100000



IMPORTANT: These dimensions are nominal and vary within the range of tolerances established by ASME standard A112.19.2.



For more information please contact us toll-free:
877-WPWORKS (979-6757)

www.westernpottery.com • Email: info@westernpottery.com

B832 / T8ULF-HET-RH

1.28 gpf

PHYSICAL PROPERTIES

Model: B832 / T8ULF-HET-RH

Water Surface: 8.22" x 10.43"

Water Seal: 2.50"

Ball Passed: 2.00"

Ball Passed Diameter: 2.00"

Water Consumption: 1.28 gpf / 4.80 lpf

Shipping Weight: 46.7 lbs bowl
28.4 lbs tank

Shipping Cube: 4.39 ft bowl
1.47 ft tank


Minimum Rough-in: 11"

Fill Valve: A1251061

Flush Valve: A2103

Tank Lever: A5103

Flapper No: RA21020100000



IMPORTANT: These dimensions are nominal and vary within the range of tolerances established by ASME standard A112.19.2.



For more information please contact us toll-free:
877-WPWORKS (979-6757)

www.westernpottery.com • Email: info@westernpottery.com

B832 / T8ULF HET-10 1.28 gpf

PHYSICAL PROPERTIES

Model: B832 / T8ULF-HET-10"

Water Surface: 8.22" x 10.43"

Water Seal: 2.50"

Ball Passed: 2.00"

Ball Passed Diameter: 2.00"

Water Consumption: 1.28 gpf / 4.80 lpf

Shipping Weight: 46.7 lbs bowl
28.4 lbs tank

Shipping Cube: 4.39 ft bowl
1.47 ft tank


Minimum Rough-in: 10"

Fill Valve: A1251061

Flush Valve: A2103

Tank Lever: A5103

Flapper No: RA21020100000



IMPORTANT: These dimensions are nominal and vary within the range of tolerances established by ASME standard A112.19.2.



For more information please contact us toll-free:
877-WPWORKS (979-6757)
www.westernpottery.com • Email: info@westernpottery.com

B832 / T8ULF HET-10-RH 1.28 gpf

PHYSICAL PROPERTIES

Model: B832 / T8ULF-HET-10-RH

Water Surface: 8.22" x 10.43"

Water Seal: 2.50"

Ball Passed: 2.00"

Ball Passed Diameter: 2.00"

Water Consumption: 1.28 gpf / 4.80 lpf

Shipping Weight: 46.7 lbs bowl
28.4 lbs tank

Shipping Cube: 4.39 ft bowl
1.47 ft tank


Minimum Rough-in: 10"

Fill Valve: A1251061

Flush Valve: A2103

Tank Lever: A5103

Flapper No: RA21020100000



IMPORTANT: These dimensions are nominal and vary within the range of tolerances established by ASME standard A112.19.2.



For more information please contact us toll-free:
877-WPWORKS (979-6757)

www.westernpottery.com • Email: info@westernpottery.com

B832 / T8ULF
HET-14
1.28 gpf

PHYSICAL PROPERTIES

Model: **B832 / T8ULF-HET-14"**

Water Surface: **8.22" x 10.43"**

Water Seal: **2.50"**

Ball Passed: **2.00"**

Ball Passed Diameter: **2.00"**

Water Consumption: **1.28 gpf / 4.80 lpf**

Shipping Weight: **46.7 lbs bowl**
28.4 lbs tank

Shipping Cube: **4.39 ft bowl**
1.47 ft tank


Minimum Rough-in: **14"**

Fill Valve: **A1251061**

Flush Valve: **A2103**

Tank Lever: **A5103**

Flapper No: **RA21020100000**



IMPORTANT: These dimensions are nominal and vary within the range of tolerances established by ASME standard A112.19.2.



For more information please contact us toll-free:
877-WPWORKS (979-6757)

www.westernpottery.com • Email: info@westernpottery.com